

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS - TOP PLATE/BOLT FOR SINCLAIR/LE WILSON SHARKFIN TRIMMER STAND

Inline Fabrication manufactures several accessories to enhance your reloading experience. One mount, countless uses! A challenge for the modern reloader is sometimes they have more presses, calibers, case prep tools or desktop gadgets than available bench space. Trying to work in a crowded, cramped space is not an enjoyable thing. This is where the Quick Change system comes in. By using 1 or 2 of the quick change Ultramounts, you can have one press mounted, but store the rest of your equipment up and out of the way on the wall using Inline's QC storage docks (sold separate). Maybe you bring your press into the house from the garage after reloading, take it to the weekend cabin, a buddies house, etc. It literally takes 30 seconds to remove it, stow it and swap it out with another. It has the ROCK solid rigidity of a fixed mount with the convenience and efficiency of quick change. These Quick Change Top Plates include the needed mounting hardware to bolt right up to your Quick Change Ultramount (Sold Separate). Also includes options for case prep tool Top Plates and popular vises for your gun building needs. NOTE: SKU 430112070 (UTP5.1) QC kit for Lee Pro1000 press w/bin bracket is not for the new 2018 Lee Pro 1000 presses.



Attributes

- Name: TOP PLATE/BOLT FOR SINCLAIR/LE WILSON SHARKFIN TRIMMER STAND
- Manufacturer: INLINE FABRICATION
- Product no.: 430112088
- Mfr. No.: UTP58.1
- Delivery weight: 1.474kg
- Shipping height: 305mm
- Shipping width: 64mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Quick Change Ultra Mount Top Plate & Bolt Kits Safety Instructions](#)

Quick Change Ultra Mount Top Plate & Bolt Kits Safety Instructions

Introduction

Thank you for choosing the Quick Change Ultra Mount Top Plate & Bolt Kits. This product is designed to enhance your reloading experience by providing a flexible mounting solution for your reloading presses and tools. To ensure safe and effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Keep all components out of reach of children and vulnerable individuals.
- Inspect the product for any signs of damage or wear before each use.
- Do not use the product if it appears damaged or malfunctioning.
- Report any unsafe products or incidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- *Mounting Stability:* Ensure that the Quick Change Ultra Mount is securely mounted to a stable surface before use.
- *Weight Limit:* Do not exceed the weight limits specified in the product specifications.
- *Tools:* Use appropriate tools for installation and avoid using damaged or worn tools.
- *Personal Safety:* Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the product.
- *Avoid Clutter:* Keep the work area clean and free of unnecessary items to prevent accidents.
- *Electrical Safety:* If using electrical tools, ensure that all electrical connections are safe and properly insulated.

Instructions for Installation and Usage

1. Installation of the Quick Change Ultra Mount:

- Select a stable work surface that can support the weight of the mounted equipment.
- Use appropriate screws and anchors (not included) to securely attach the Ultra Mount to the work surface.
- Ensure that the mount is level and firmly fixed before proceeding.

2. Attaching the Top Plate:

- Align the Top Plate with the mounting holes on the Ultra Mount.
- Use the provided bolts and hardware to securely attach the Top Plate.
- Tighten the bolts to ensure a solid connection, but do not overtighten as this may cause damage.

3. Using the Quick Change System:

- To swap out the press or tool, simply loosen the bolts securing the Top Plate.
- Carefully remove the Top Plate and replace it with another as needed.
- Ensure that the new Top Plate is securely fastened before use.

4. Maintenance:

- Regularly inspect the Ultra Mount and Top Plates for wear and tear.
- Clean the components with a dry cloth to remove dust and debris.
- Replace any worn or damaged parts immediately to maintain safety.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options for metal and plastic components where available.

Contact Information for Further Support

For any questions or concerns regarding safety or product usage, please refer to the manufacturer's website or contact your local distributor for assistance.

By following these safety instructions, you can ensure a safe and enjoyable reloading experience with your Quick Change Ultra Mount Top Plate & Bolt Kits. Thank you for your commitment to safety!